

# The Random Search Selector

**A 2 T****Access-to-Time**

## System information:

- Integrated into your company security policy, the SS4000 unit can provide both a permanent deterrent to thieves and an effective means of catching those that are not deterred, without undue imposition on your honest employees
- The compact selector is a pre-programmable Push-Button unit intended for installation at employee exit points.

## How it works:

- The selector is in view of the security personnel.
- All personnel push the press button on exit.
- A red light accompanied by high tone indicates search, whilst a green light with a low tone indicates a pass.
- The overall percentage of personnel to be selected can be adjusted from 0-100 per cent (in 1 per cent increments).
- The selection is random and the odds of being selected are the same every time the button is pressed.
- Personnel pressing the button are unaware of the selector settings, so even when set at 0 per cent it has a deterrent value.
- Pressing the button maintains awareness of your search policy.
- The search conducted should be as thorough as is necessary to determine that the person searched has no company property in their possession.
- The system can be enhanced by using CCTV to oversee and record the search procedures. The recordings will allow you to ensure that your search policy is adhered to at all times.

## System features:

- Can be desk or wall mounted, supplied ready to plug in and use.
- Key controlled settings of 0-100 per cent.
- Microcomputer system with four digit LED display.
- Random selection is guaranteed to be totally unpredictable.
- Built in search and pass counters.
- Output to trigger search monitoring video equipment.
- Input for external trigger signal (e.g. from Access Control Card Reader, Turnstile Rotation Contacts, IR Beam, etc.)

## Technical Specification:

- Supply Voltage 100 - 250v A.C. Universal Power Adaptor Supplied (Suitable for use with most UK, Euro & USA mains sockets)
- Weight 500g
- Dimensions H 230mm, W 100mm, D 60mm

## Optional Accessories:

### Remote Push-Button

- The Remote Push-Button Unit allows the Compact Selector to be installed at a location remote from the point of actuation.

### Remote Indicator

- The Remote Indicator Unit allows remote monitoring of the Compact Selector's Pass or Search indication, or it can be used as the main indicator unit if using external trigger signals (e.g. from Card Readers, Turnstiles etc.) instead of the Push-Button

## SS4000:

### Random Search Selector



## Options:

### Remote Push-Button



### Remote Indicator

**Call: 01761 410015****Visit: [www.a2t.co.uk/enquiry](http://www.a2t.co.uk/enquiry)**

### Remote Push-Button Unit



#### Remote Push-Button Unit:

- The Remote Push-Button Unit allows the Compact Selector to be installed at a location remote from the point of actuation.
- It is connected to the Compact Selector via a plug in lead (supplied) and is suitable for installation in external applications.

#### Features:

- High brightness LED Red and Green Lamps
- Two tone piezo sounder
- Strong ABS sealed lid box
- Industrial heavy duty Push-Button
- Cable entry from the rear
- Dimensions: H 16cm, W 8cm, D 9cm (overall)
- Installation: supplied with screws & wall plugs for wall fixing.
- Interconnection cable: 4.3m long (other lengths to order)

### Remote Indicator Unit



#### Remote Indicator Unit:

- The Remote Indicator Unit allows remote monitoring of the Compact Selector's Pass or Search indication. It can be used as the main indicator unit if using external trigger signals (e.g. from Card Readers, Turnstiles, etc.) instead of the Push-Button Switch on the Compact Selector.
- It is connected to the Compact Selector via a plug in lead (supplied) and is suitable for installation in external applications. High brightness LED Red and Green Lamps.

#### Features:

- High brightness LED Red and Green Lamps
- Two tone piezo sounder
- Input for external trigger signal (e.g. from Access Control Card Reader, Turnstile Rotation Contacts, IR Beam, etc.)
- Strong ABS sealed lid box
- Cable entry from the rear
- Dimensions: H 12cm, W 8cm, D 7cm (overall)
- Installation: supplied with screws & wall plugs for wall fixing.
- Interconnection cable: 4.3m long (other lengths to order)

### Random Search Selector



# 'SS1000' Random Search Selector

**A 2 T**

**Access-to-Time**

## System information:

- 'Selektor' is designed as a 'stand-alone' self-contained portable unit that is ready to go 'out of the box'. Simply set the desired percentage 'search' ratio, plug in the supplied mains adaptor, or fit batteries if preferred, and it's ready for use.
- The unit can also be permanently installed by fixing to a wall or work surface.
- The Selektor is ideal for use in a "stop and search" theft prevention policy to eliminate losses from warehouses, shops or factories.

## How it works:

- Everyone passing through the control point pushes the button
- A red light and high tone indicate that you have been selected
- A green light and a low tone indicates that you have not been selected on this occasion
- If you know you could be stopped, you won't take the risk!

## System features:

- Mains or battery (3 x 'AA') operation
- Clear indication of SEARCH and PASS with daylight visible lights and audible tones
- Portable or fixed installation.
- Desk mount, wall mount or hand held
- Large 2-inch push button
- Search percentage ratio adjustable by internal switches
- Search settings from 0 to 100% in 0.5% steps
- Random selection is guaranteed to be totally unpredictable

## Technical:

- The 'Selektor' is supplied complete with:
  - UK power adapter
  - Self adhesive vinyl sign
  - Wall fixings
  - Instructions.
  - 160 x 80 x 40mm

## SS1000 'Selektor':



## Other Selectors & options in the range:

### SS4000 Random Search Selector



### SS4000 Remote Push-Button



### SS4000 Remote Indicator



# Search Selector Order Form



Access-to-Time

If you would like to place an order for any of the Search Selector products, please fill out the order form below and fax it to **01761 410090**.

ORDER FORM			
Company Name:			
Contact Name:			
Email Address:			
Telephone Number:		Fax:	
Invoice Address:		Delivery Address: (if different)	
Registered Office:			
VAT No:		Company Registration Number:	
Purchase Order Number:			
Item	Quantity	Unit Price	Total
SS4000 Compact Selector		£210.00	
SS1000 Handheld Selector		£74.00	
Remote Push-Button		£60.00	
Remote Indicator		£45.00	
Postage + Packing *		£7.50	
		<b>Sub Total</b>	
		VAT @ 20%	
		<b>Grand Total</b>	

\* UK Mainland only, please contact us for other destinations. Delivery is normally within 3 days of receipt of payment.

Access-to-Time Limited, Mendip House, Midsomer Norton, Radstock, BA3 2HY  
Tel: 01761 410015, Fax: 01761 410090, E-mail: mail@a2t.co.uk